

Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

LISTING OF CLAIMS:

1. – 42. (canceled)

43. (new) A method of executing at least two applications with a communication terminal, the method comprising:

receiving an email message that includes an email address of a sender and an intended recipient from an email server, wherein there are two types of email messages;

determining whether said email message is a first type of email message or a second type of email message;

executing a first application operable on said communication terminal to read only said first type of email message; and

executing a second application operable on said communication terminal to read at least said second type of email message.

44. (new) The method of Claim 43, wherein determining whether said email message is a first type of email message or a second type of email message further comprises determining from an identifier included in said email message if said email message is compatible with said first application or said second application.

45. (new) The method of Claim 44, further comprising storing said email message and data related to receipt of said email message in a predetermined reception box folder associated with said first application when said email message is determined to be compatible with said first application; and storing said email message and data related to receipt of said email message in a folder designated within said email message and associated with said second application when said email message is determined to be compatible with said second application.

46. (new) The method of claim 44, wherein determining from an identifier included in said email message if said email message is compatible comprises the step of reading an identifier included in a header of said email message to determine if said first application or said second application is indicated.

47. (new) The method of claim 46, wherein storing said email message and data related to receipt of said email message in a folder designated within said email message comprises the steps of checking a table stored in said communication terminal for said identifier and a corresponding folder name, and storing said data related to said email message in said folder that is associated with said identifier and is accessible by execution of said second application.

48. (new) The method of claim 47, further comprising the step of executing said second application to access said folder based on said identifier and to display a listing that includes an email title, an email reception date, and an email reception time of said email message that is retrieved from said folder.

49. (new) The method of claim 48, further comprising the steps of said second application obtaining a message identification associated with said listing, and extracting said email message from a stored location for display based on said message identification.

50. (new) The method of claim 45, further comprising the step of said second application instructing said first application to generate said folder and a folder table, said second application executable to display data associated with said email message stored in said folder as a function of said folder table.

51. (new) The method of claim 43, further comprising generating a first email arrival indication to a user in response to said email message being determined to be said first type of email message, and generating a second email arrival indication to said user that is different than

said first email arrival indication in response to said email message being determined to be said second type of email message.

52. (new) The method of claim 43, wherein said email message includes an identifier that comprises a character identifier designated by a sender of said email message, and the method further comprises said second application executable to display an animation of a character indicated with said character identifier followed sequentially by display of a content of said email message.

53. (new) A communication terminal operational with at least two applications, each of said at least two applications operable to provide a user interface, the communication terminal comprising:

a control unit operable in a communication terminal and configured to receive an email message from an email server that includes an email address of a sender and an intended recipient, wherein there are two types of email messages;

said control unit further configured to determine whether said email message is a first type of email message or a second type of email message that is different from said first type of email message;

said control unit further configured to execute a first application operable on said communication terminal to read only said first type of email message; and

said control unit further configured to execute a second application operable on said communication terminal to read at least said second type of email message.

54. (new) The communication terminal of claim 53, wherein said first application is executable to generate or open email messages.

55. (new) The communication terminal of claim 54, wherein said second application is downloadable to said mobile communication terminal, said second application also operable in said communication terminal to generate or open email messages.

56. (new) The communication terminal of claim 55, wherein only said first application is executable to communicate with said email server to transmit and receive email messages.

57. (new) The communication terminal of claim 56, wherein said email message is a first email message, and said second application is executable to enable said first application to transmit a second email message, to a designated recipient, that is generated for transmission with only said second application, to include a header and an email address of a designated recipient of said second email message.

58. (new) The communication terminal of claim 57, wherein said second application is further executable to store said second email message generated for transmission in association with a transmission folder that is accessible with said first application, wherein said first email application is further executable to transmit for receipt by said email server email messages associated with said transmission folder.

59. (new) The communication terminal of claim 53, wherein said processor is further configured to determine if said received email message is compatible with said first application or said second application.

60. (new) The communication terminal of claim 53, wherein said first type of email message is storable in association with a predetermined reception folder that is associated with said first application, and said second type of email message is storable in association with a folder identified with said email message, wherein said second type of email message is storable in association with said second application.

61. (new) The communication terminal of claim 53, wherein said second type of email message includes an identifier that is not included in said first type of email message.

62. (new) The communication terminal of claim 61, wherein said identifier comprises at least one of a character mail identifier or a character identifier.

63. (new) The communication terminal of claim 53, wherein said email message is a first email message, said control unit further configured to store, in a specified storage area, a second email message generated with said second application for transmission, and to execute said first application to transmit said second email message, said second email message generated with said second application to include indication of a destination email address.

64. (new) The communication terminal of claim 63, further comprising a storage in communication with said control unit, wherein said storage is a removable storage unit detachably coupled with said communication terminal; and an identifier of said second application is stored in said storage in accordance with said first email message and said second email message.

65. (new) The communication terminal according to Claim 64, wherein the second email message generated, with the second application that is stored in the specified storage area is stored in the storage in a transmission box folder, and the first application is executable with the control unit to check for the second email message stored in the transmission box folder, and read out the second email message stored therein for transmission to the email server.

66. (new) The communication terminal of claim 53, wherein said first application is executable with said control unit to communicate with said email server; and said second application is not executable with said control unit to communicate with said email server.

67. (new) The communication terminal of claim 53, wherein said first application and said second application are each configured to provide a user with a respective user interface to independently read and generate email messages that include an email address indicating a destination, an email title, and a body of text.